PCT/USO4/36212.23882005

CLAIMS

We claim:

- 1. A water or wastewater treatment method, comprising the steps of:

 providing an Fe source, said Fe source comprising an Fe salt or Fe metal, and

 contacting influent water including at least one chelating agent in the form of a chelated

 metal with said Fe source in the presence of an oxygen comprising gas flow, wherein an outlet

 flow following said contacting step provides oxidation of said chelating agent and other

 oxidizables in said influent water and precipitation, co-precipitation, or reaction of products of
 said oxidation to form a metal sludge.
 - 2. The method of claim 1, wherein said Fe salt comprises a ferrous salt.
- 3. The method of claim 1, wherein said Fe salt comprises ferrous sulfate or ferrous carbonate.
- 4. The method of claim 1, wherein said method is performed in a pH range of from 5 to 9.
- 5. The method of claim 1, wherein said Fe source is said Fe metal, said contacting step including ultraviolet irradiation.
- 6. The method of claim 1, wherein said method is performed in a fluidized bed reactor.

- 7. The method of claim 6, wherein said fluidized bed reactor includes at least one magnetic field source, further comprising the step of magnetically-controlled fluidizing.
- 8. The method of claim 1, further comprising the step of separating said outlet flow into treated effluent and said metal sludge, wherein said separating step comprises sedimentation or filtration of said metal sludge.
- 9. The method of claim 1, further comprising the step of contacting soil or sediment having metal with a chelating agent to form said chelated metal.
- 10. The method of claim 9, wherein said chelating agent comprises ethylenediaminetetraacetate (EDTA) or an EDTA derivative.
- 11. The method of claim 1, wherein said contacting step is performed at ambient conditions and exclusive of any externally applied energy sources.
- 12. The method of claim 1, wherein said Fe metal comprises Fe filings, steel wool or Fe comprising granules.
- 13. The method of claim 1, wherein said Fe salt is a ferric salt, said contacting step converting Fe⁺³ to Fe⁺² using at least one selected from the group consisting of exposure to iron-reducing bacteria, exposure to UV radiation, exposure to hydrogen peroxide, and exposure to electrodes in an electrolytic solution.

14. A water treatment system, comprising:

a reaction chamber including an Fe source, said Fe source comprising an Fe salt or Fe metal, and

a source of an oxygen comprising gas, said oxygen comprising gas fluidically connected to said reaction chamber,

wherein when influent water including at least one chelating agent in the form of a chelated metal is contacted with said Fe source in the presence of said oxygen comprising gas, a flow emerging from said outlet providing a oxidation of said chelating agent and other oxidizables and precipitation, co-precipitation, or reaction of products of said oxidation to form a metal sludge.

- 15. The system of claim 14, wherein said reaction chamber is a fluidized bed.
- 16. The system of claim 14, wherein said system includes a magnetic field source.
- 17. The system of claim 14, wherein said Fe salt comprises a ferrous salt.
- 18. The system of claim 17, wherein said Fe salt comprises ferrous sulfate or ferrous carbonate.
 - 19. The system of claim 14, further comprising an ultraviolet or ultrasonic source.